

# Remco

a Vikon company

2022

## Full-Line Catalog



INFINITE SUPPLY AND SERVICES INC  
519-992-1996

[order@infinitesupplyandservices.com](mailto:order@infinitesupplyandservices.com)

Mechanical parts, shipping and packaging supply  
Office and janitorial supply, safety supply

**Remco**

# Table of Contents

Remco and Vikan .....	3
Color-Coding System .....	4-5
Site Assessments .....	6
Business Development Territory Map .....	7
Ultra Safe Technology .....	8-9
New Products .....	10-13
Reusable Food-Safe Garments.....	14-15
Material Handling Tools.....	16
Product Selection Guide.....	17
Shovels .....	18
Fork, Rake, and Paddles .....	19
Dustpans and Bowl Scoops .....	20
Hand Scoops .....	21
Scrapers .....	22-23
Wall Brackets .....	24
Buckets.....	25
Metal Detectable Tools .....	26-27
Tubs and Undercarriages.....	28-29
Cleaning Tools .....	30
Product Selection Guide.....	31
Sweeping Brooms.....	32-33
Deck Scrubs and Tank Brushes.....	34-35
Hand Brushes .....	36-39
Tube and Valve Brushes .....	40-43
Special Application Brushes .....	44-45
Squeegees .....	46-49
Handles.....	50-53
Waterfed Products .....	54-55
Pad Holder System .....	56-57
Floor and Drain Collection .....	58-59
High Temperature Cleaning Range .....	60
Non-Stock and Special Order Items .....	61
Industrial Tools.....	62
Product Selection Guide.....	63
Industrial and Safety Shovels.....	64-65
Transport Cleaning Tools .....	66
Transport Sets.....	67
Transport Brooms and Brushes .....	68
Transport Handles .....	69
Transport Brushes .....	70
Transport Squeegees .....	71
Education & Technical Support .....	72
Index .....	73-74



# The products that put food safety in your hands.

**Remco**  
a Vikan company



## Solid hygiene & performance

Seamless injection molded tools from Remco deliver the ultimate in hygienic material handling. One-piece construction eliminates areas for bacteria to hide in and multiply, resulting in a durable tool that performs beautifully in even the most rigorous applications.

## The best of both hygiene & efficiency

Hygiene-essential environments demand efficient and easy-to-use tools that maintain or advance hygienic standards. Vikan's products are designed to improve the quality and reduce the cost of cleaning, while encouraging hygienic behavior.

## Global Scope. Local Support.

Remco, Vikan's dedicated presence in North America, draws upon a combined wealth of knowledge and world-class manufacturing capabilities to provide even greater value to our customers – innovating new cleaning tools, increasing our industry-leading product availability, and delivering unmatched levels of customer service.

**Visit us on social media:** [remcoproducts.com/socialmedia](http://remcoproducts.com/socialmedia).

# Color-Coding

Minimizing risks and improving food safety



Minimizing the risk of cross-contamination is key to maintaining a safe processing facility and is imperative for meeting today's food safety guidelines. Changes with FSMA and global standards like SQF and BRC all require better methods of zoning, which can be easily and efficiently done with color-coding. Color-coding is a proven practice that effectively communicates hazards and helps food processors achieve high-quality food safety standards.

As a trusted supplier to leading food processors, Remco can work with you to develop a color-coding system that is customized to your unique needs and products. Through the program development process, Remco will help you identify different processing zones or tasks. We will also help your workers understand and implement your color-coding plan. Color-coding is a helpful tool in maintaining HACCP compliance, as well as for preventing food safety and quality lapses before they happen. By design, most Remco and Vikan tools further contribute to effective color-coding plans with a wide range of total-color products.

Get the color-coding kit at [remcoproducts.com/toolkit](http://remcoproducts.com/toolkit).

# Tips to Help Build an Effective Color-Coding Plan

According to the Centers for Disease Control, 48 million (about 1 in 6 people) in the U.S. get sick every year from eating contaminated food.

Help prevent the spread of the over 250 pathogens and toxins that are known to cause foodborne illness by reducing cross-contamination risks with a color-coding plan. Consider these tips for an easy and effective color-coding plan roll-out.



## 1. Keep it Simple

Avoid complicated color assignments and keep your system simple. Color-code only the most important areas or items used to control cross-contamination.

## 2. Pick Logical Colors

Ensure that the colors you select are easily recognized and understood by everyone involved. They should also be able to be spotted against product in case a tool is dropped.

## 3. Make it Clear

Reinforce your color assignments with consistent and appropriate signage. Provide clearly marked storage areas throughout your facility and grounds.

## 4. Communicate the Program

Have a communication strategy for rolling out the program to your employees. Revisit it regularly to ensure it's working.

Remco welcomes the opportunity to work with your food safety and quality teams to ensure your color-coding system is a complete success.

# Remco

## Business Development Managers- Complimentary Services

Remco's team of BDMs are color-coding and tool selection experts. Our team members are here to answer questions and provide recommendations regarding cleaning tool implementation in food processing and other hygiene-sensitive fields.

Remco's BDMs offer a high level of competence in industry best practices, and are:

- SQF Practitioner Qualified
- FDA/FSPCA PCQI Certified
- HACCP Certified

### Online Color-Coding Tool Reviews

BDMs can answer questions and provide recommendations regarding cleaning tool implementation and best practices in food processing and other hygiene-sensitive fields.

### Virtual Training Sessions

Our experts can provide training on how to select the right cleaning tools, how to properly maintain and care for tools, and the best practices for tool storage.

### Site Surveys

A Remco expert will conduct a thorough survey of your plant's cleaning and material handling tools with the aim of identifying and solving potential hygiene and sanitation issues before they become larger problems.

#### What We Check For During a Site Survey


- Color-coding system - Is your color-coding plan for tools effective enough to support your risk management targets?
- Regulatory compliance - Do your tools meet all applicable standards and regulatory requirements?
- Gaps and optimizations - Identify missing tools and improve maintenance and usage practices.
- Better tools for the job - Is there a different tool that would be more efficient or effective?
- Cleaning tool storage - Protect your tools and improve hygiene through proper tool storage.

#### Site Survey Deliverables

- ✔ Samples
- ✔ Implementation
- ✔ Ongoing support

### Schedule Your Site Survey, Training, or Online Tool Review Today


Contact the BDM in your area to learn how we can help reduce down time associated with cleaning and provide potential cost savings through tool standardization.



# Regional Business Development Manager Territory Map




**West Region**




**Vince Tajalle**  
Mobile: 562.242.9346  
vtajalle@remcoproducts.com

**South Region**




**Matt Morrow**  
Mobile: 901.457.9543  
mmorrow@remcoproducts.com

**Additional Contacts**



**Executive Vice President**  
**Rob Middendorf**  
317.876.9856 | 219.613.0285  
rmiddendorf@remcoproducts.com

**Central Region**




**Dave Gambrall**  
Mobile: 317.850.2082  
dgambrall@remcoproducts.com

**Canada Region**




**Vahak Yeghoyan**  
Mobile: 416.953.3957  
vahak@remcoproducts.com



**Business Development Director**  
**Eric Perez**  
Mobile: 916.622.7706  
eperez@remcoproducts.com


**East Region**



**Doug David**  
Mobile: 740.507.2498  
ddavid@remcoproducts.com



**National Food Retail Market Specialist**  
**Tara Dryer**  
Mobile: 248.376.8483  
tdryer@remcoproducts.com




**Customer Service**  
317.876.9856  
cs@remcoproducts.com

# Make Hygiene a Priority in Your Facility

With Ultra Safe Technology

Vikan's award-winning Ultra Safe Technology is a revolutionary line of brooms and brushes that help improve food safety and quality, minimize food waste, and increase cleaning efficiency.



## Secure Bristles with a Fully-Molded Design

Bristles in traditional staple-set or resin-set tools start to loosen and detach with use. Once bristles begin to dislodge, the bundle loosens and more will fall out.

UST bristles are individually molded to the brush and don't loosen over time.

**3x** Bristle fixation is 3 times more consistent in UST brushes than in drilled & stapled ones.

**52%** It takes 52% more force to loosen a UST bristle than the bristles on a traditional brush.


## Optimized Bristle Patterns

Each UST brush and broom features a purpose-designed, efficiency-boosting bristle pattern.




Hand Brush

Angled and circular arrangement for scrubbing and washing in a circular motion.



Broom / Deck scrub

Angled arrangement of the Bristle Security Units enabling more efficient cleaning.



Bench Brush

Bristles Security Units are arranged to enable the efficient and effective removal of fine powders and loose debris.



41793



## UST Tools Meet Hygienic Design Principles

Hygienic design principles are built into UST tools because even cleaning equipment can be a vector of contamination.



- ✓ Easy to clean and dry
- ✓ Durable and well-constructed
- ✓ Smooth surface finish (under 0.8µm)
- ✓ Absence of acute internal angles
- ✓ Made of food-safe materials
- ✓ Fully tested and documented

**47%**

of cleaning equipment tests positive for listeria\*

\* Study conducted by Campden BRI




An extremely low surface roughness reduces the risk of contaminants sticking to the surface of the brush and makes it easier to clean.



## Superior Cleanability

Vikan dramatically reduced the depth of the UST brush-head recess, making brushes easier to clean

by eliminating drilled holes, metal staples, and resins.



**For more details, visit <http://ust.vikan.com/us>**



## Vikan Ultra-Slim Wand Brush

**4197x**

Available in 5 colors



Clean where other brushes cannot reach with this ultra-slim 15 mm wide brush designed with a scraping edge for tackling stubborn debris. This brush features an easy-grip slim handle and a specially designed head with extra-stiff front bristles that help clean all the way to the end of narrow spaces. The brush block is made using food-contact compliant polypropylene offcuts from other Vikan products, making this brush environmentally friendly.



## Vikan Narrow Long-Handle Cleaning Brush

**4185x**

Available in 7 colors



Easily clean small spaces with this 1.73" wide narrow-headed brush. The bristles are angled to make it easy to clean corners, the grip is designed for extra stability, and the entire brush is color-coded to support HACCP principles.



## Vikan Detail Brush with Scraping Edge

**3951x**

Available in 3 colors



A very effective detail brush. The solid scraping edge easily loosens even very stubborn dirt from surfaces. The flat hand grip offers good support and control in your hand for a variety of cleaning tasks. Extra force can be applied during scrubbing by pressing your forefinger down on the brush head.

More products in more colors than any other system.  
See for yourself at [remcoproducts.com](http://remcoproducts.com)



## Vikan Upright Dustpan

**5662x**

Available in 6 colors



This dustpan has enlarged rear and side walls to allow it to hold more debris while its contact lip allows for easy and efficient sweeping. The outer front surface has a raised area to prevent debris from falling back out, making this a practical choice for cleaning up a large area quickly and with less strain on workers.



## Vikan Angle Cut Lobby Broom

**3105x**

Available in 6 colors



This broom tackles dry and wet debris with ease thanks to its combination of small and large diameter bristles. The angled cut reaches into corners easily and allows for an ergonomic sweeping position.



## Vikan Dustpan Broom with Angled Thread

**3103x**

Available in 6 colors



A very effective, lightweight broom that can be used for sweeping both dry and wet debris. The outer row of bristles is softer than the middle row, which gives a very effective sweeping quality. The bristles under the scraping edge are angled to facilitate sweeping close to walls and corners as well as under workbenches, etc. A scraping edge allows workers to remove even the toughest debris from surfaces.



# New Products



## Remco Lobby Dustpan Set

**6250x**

Available in 10 colors



The redesigned lobby dustpan set incorporates improved strength and durability for all of its components. Thoughtful features make the set more user-friendly, such as a more compact and stable design, and give it the refined fit and finish of a premium product.



## Vikan Short Handle Washing Brush

**4198x**

Available in 5 colors



With an ergonomic short handle and very soft bristles that retain water and chemicals to improve cleaning efficacy, this washing brush is perfect for cleaning fragile surfaces such as glass. It is also suitable for coating products, such as covering cheese with wax.



## Vikan Hygienic Hi-Flex Wall Bracket System

**1011x**

Available in 12 colors



This hygienic modular wall bracket provides a flexible solution for storing your cleaning tools and utensils anywhere on-site. From 1-10 hanging modules can be placed on the rail (up to five grip band modules or up to 10 hook modules). The rail easily attaches to the four wall mounts by sliding it on from the right or left side. The system comes with three grip band modules and two hooks and more can be ordered separately.

More products in more colors than any other system.  
See for yourself at [remcoproducts.com](http://remcoproducts.com)



## Vikan Hygienic Wall Bracket, Single Hook Module

**1012x**

Available in 12 colors



The single hook module is designed for storing cleaning tools that have a hanging hole. The hook is slid onto the supplied single-base/spacer from the left or right side. The single hook module can hold products weighing up to 6.61 lbs. The hook system is easy to disassemble for cleaning or replacement.



## Vikan Hygienic Wall Bracket, Grip Band Module

**1013x**

Available in 12 colors



The grip band module is designed for storing cleaning tools without a hanging hole. Slide the grip band module onto the supplied double-base/spacer from the left or right side. The grip module can hold products with a diameter of 1.1"-1.3". The grip band module is easy to disassemble for cleaning or replacement.



## Vikan Hygienic Wall Bracket, Double Hook Module

**1014x**

Available in 12 colors



The double hook module is designed for hanging 1-2 cleaning tools that have a hanging hole, or products with a D- or T-shaped handle. The hooks are slid onto the supplied double-base/spacer from the left or right side. The hook module can hold products weighing up to 6.61 lbs. The hook module is easy to disassemble for cleaning or replacement.



# Durability and Dependability

With Top Dog Reusable Garments

Remco is the exclusive U.S. distributor of Top Dog's reusable color-coded garments. The Top Dog line supports color-coding programs by providing an additional level of visual verification that helps ensure the right people are working in specified zones.



**topdog**  
Durable Protective Apparel

## Features of Top Dog garments:

- Food safe (FDA-compliant)
- Reusable for 3 months or more, depending on application
- Waterproof
- Virtually non-stick and non-staining
- Resistant to chemical and acid sanitation products
- Non-porous surface – will not host bacteria or mold
- Recyclable
- Washer and dryer safe
- Will not crack or stiffen in low temperatures or with repeated cleaning
- Impervious to animal fats and degreasers
- Completely latex-free for sensitive users
- Easily repairable
- Very high abrasion resistance

*Top Dog garments ship in full cases only.*



*Additional sizes, colors, and styles are available upon request.*

# Reusable Food-Safe Garments




80012

84023



80023



86046



86034

These products are durable and hygienic, making them an excellent complement to Remco's cleaning and material handling tools. The total-color garments provide protection to the wearer and are easy on the environment because they are reusable. Depending on applications, garments may last 3 months or more. Top Dog products are made from an ether-based polyurethane film, making them ideal for the food and beverage industry.

	Parent Number	Product Name	Length	Thickness	Case Qty	Materials
	Available Colors		Weight	Max Temp	Brand	Additional Details
	8001x	6 Mil Die Cut Apron w/ 45" Length	45"	6 mil	36 units	Polyurethane
			0.4 lbs.	180°F		
	8002x	6 Mil Die Cut Apron w/ 50" Length	50"	6 mil	36 units	Polyurethane
			0.45 lbs.	180°F		
	8101x	8 Mil Die Cut Apron w/ 45" Length	45"	8 mil	24 units	Polyurethane
			0.55 lbs.	180°F		
	8102x	8 Mil Die Cut Apron w/ 50" Length	50"	8 mil	24 units	Polyurethane
			0.6 lbs.	180°F		
	8603x	6 Mil Gown w/ 45" Length	45"	6 mil	10 units	Polyurethane
			0.7 lbs.	180°F		
	8604x	6 Mil Gown w/ 50" Length	50"	6 mil	10 units	Polyurethane
			0.73 lbs.	180°F		
	8401x	18" Length Sleeves	18"	6 mil	24 pairs	Polyurethane
			0.15 lbs.	180°F		
	8402x	21" Length Sleeves	21"	6 mil	18 pairs	Polyurethane
			0.2 lbs.	180°F		



## MATERIAL HANDLING TOOLS

In food processing environments, material handling tools must be purpose-built for the task. Due to their nature, these tools come into direct contact with food products. The material handling tools in your facility should improve your food safety efforts—not create a potential risk of contamination.

Material handling tools from Remco and Vikan are carefully designed and produced from materials that comply with regulatory standards. Any tool that contacts food should be backed by the appropriate documentation to support a written food safety plan, which we can provide to all our customers.

But why stop at satisfying the requirements? Our superior lines are ergonomically built, eliminating excessive stress and strain on the user. This improves the productivity of your workforce and ultimately your overall operation.



# Material Handling Product Selection Guide

Remco and Vikan offer a range of scraping, measuring, and transporting tools to meet the varying demands of food processors.

Choose the material handling option that best fits the application:



**Shovels** Composed solely of FDA-compliant polypropylene, our shovels are hygienic and durable. They are also total color, fully molded, and non-sparking, making them a top choice in the food industry.



**Scoops** Remco scoops are durable and hygienically designed with smooth edges for easy cleaning.



**Dustpans** From our award-winning lobby dustpan and broom set to Vikan's hygienic dustpan, we can help you keep floors clean of debris.



**Buckets** Vikan buckets make transporting and storing bulk ingredients a snap. Good for handling up to 5 gallons of materials or liquids.



**Tubs** Remco tubs and undercarriages come in a variety of sizes and shapes to fit your needs. From adding lids to customizable plugs, we have the tubs that will help you move and store products. This is our best option for moving up to 100 gallons.

Choose the blade material that best fits your specific needs:

## Stainless Steel Blade



These blades are good for removing stubborn or burnt-on food from smooth surfaces. Some of our stainless steel scrapers can be mounted on handles to provide greater reach.

## Polypropylene Blade



Plastic blades provide a durable scraping option that won't damage surfaces. Hand scrapers, bench scrapers, and paddle scrapers are available in standard polypropylene and metal detectable polypropylene.

## Nylon Blade



Rigid and durable, nylon scrapers provide a good option where scrapers are required in high-temperature situations. Some of our high-temp scrapers can be used with handles to extend their reach.

Choose the measurement tool that best fits your specific needs:

## Bowl Scoops



Vikan bowl scoops include measurement marks in liters, fluid ounces (U.S.), and fluid ounces (U.K.). These scoops are often used in dairy and baking applications and are ideal for keeping allergens separated. They pair perfectly with Vikan buckets, allowing for precise measuring and mixing.

## Mega Scoops/Dippers



These scoops include measurement markings in liters on one side and quarts on the other. Commonly used in conjunction with Remco tubs, these scoops can move large, yet precise amounts of material efficiently.

## Buckets



With measurement marks in liters, gallons (U.S.), and gallons (U.K.), these Vikan buckets are well suited for measuring, transporting, or storing bulk ingredients. These buckets are often used in dairy and baking applications.

# Shovels



These tools are a cost-effective alternative to stainless steel shovels and are ergonomically designed to reduce stress on the user's back. Durable and lightweight, plastic tools won't damage equipment like metal tools can.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors		Weight	Max Temp	Brand	Additional Details
	6981x	One-Piece Shovel w/ 10" Blade	37.5"	10.2"	5.9"	Polypropylene
			2.6 lbs.	266°F	<b>Remco</b>	
	6982x	One-Piece Shovel w/ 14" Blade	42.5"	13.75"	6.6"	Polypropylene
			3.56 lbs.	266°F	<b>Remco</b>	
	5601x	Ergonomic Shovel- Large Blade	51.57"	13.58"	8.86"	Polypropylene/Aluminum
			4.1 lbs.	250°F	<b>Vikan</b>	
	56045	Ergonomic Shovel- Large Sieve	44.9"	13.7"	8.3"	Polypropylene/Aluminum
	White		3.44 lbs.	250°F	<b>Vikan</b>	
	5611x	Ergonomic Shovel- Small Blade	50.39"	10.67"	7.87"	Polypropylene/Aluminum
			3.44 lbs.	250°F	<b>Vikan</b>	



# Fork and Rake



56905



56915

Our hygienically designed fork and rake are ideally suited for moving bulk food material.

# Paddles



67754

67772

67763

67746

These paddles can reach into deep vats to help combine ingredients.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors		Weight	Max Temp	Brand	Additional Details
	56905	Hygienic Fork	50.2"	10.43"	4.72"	Polypropylene
	White		3.18 lbs.	250°F		
	56915	Hygienic Rake	8.07"	8.27"	9.06"	Polypropylene
	White		0.93 lbs.	250°F		
	6774x	40" Mixing Paddle w/ Holes	39.75"	6"	1.3"	Polypropylene
			2.11 lbs.	266°F		
	6775x	40" Mixing Paddle	39.75"	6"	1.4"	Polypropylene
			2.19 lbs.	266°F		
	6776x	52" Mixing Paddle w/ Holes	51.8"	5.9"	1.4"	Polypropylene
			2.64 lbs.	266°F		
	6777x	52" Mixing Paddle	51.8"	5.9"	1.4"	Polypropylene
			2.66 lbs.	266°F		


























# Dustpans



Durable, total-color dustpans are a staple in many color-coded sanitation programs.

# Bowl Scoops







	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Deflection Temp	Weight	Max Temp	Brand	Additional Details
	5660x	Dustpan	13"	11.61"	3.94"	Polypropylene
	1 2 3 4 5 6 7 8 9 06 7 8	-	0.66 lbs.	250°F		  
	5662x	Upright Dustpan	13"	7.87"	3.46"	Polypropylene/Aluminum
	2 3 4 5 6 9	-	1.03 lbs.	250°F		  
	6250x	Lobby Dustpan w/ Broom	47.5"	14.56"	7.13"	PP/Aluminum/Polyester
	1 2 3 4 5 6 7 8 9 06 7 8	183°F	3.43 lbs.	266°F	<b>Remco</b>	  
	6350	Utility Dustpan	12.2"	12.1"	4.1"	Polypropylene
	Black	183°F	0.47 lbs.	266°F	<b>Remco</b>	 
	5681x	32 oz. Round Scoop	11.61"	6.1"	3.74"	Polypropylene
	1 2 3 4 5 6 7 8	-	0.37 lbs.	250°F		  
	5682x	64 oz. Round Scoop	13"	7.68"	4.53"	Polypropylene
	2 3 4 5 6	-	0.57 lbs.	250°F		  



# Hand Scoops



Color-coded scoops are useful in preventing cross-contact between allergens and supporting HACCP plans and regulatory food safety efforts.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Deflection Temp	Weight	Max Temp	Brand	Additional Details
	6000x	2-Liter Measuring Jug	5.51"	8.86"	8.46"	Polypropylene
	2 3 4 5 6	-	0.53 lbs.	250°F	Vikan	FDA 021
	6300x	16 oz. Hand Scoop	10.4"	3.2"	2"	Polypropylene
	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	183°F	0.21 lbs.	266°F	Remco	FDA 021
	6400x	32 oz. Hand Scoop	11.5"	4.3"	3"	Polypropylene
	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	183°F	0.39 lbs.	266°F	Remco	FDA 021
	6500x	82 oz. Hand Scoop	15.1"	5.9"	3.3"	Polypropylene
	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	183°F	0.65 lbs.	266°F	Remco	FDA 021
	6550x	128 oz. Mega Scoop	11"	8.7"	6.7"	Polypropylene
	2 3 4 5 6 7	183°F	1.35 lbs.	266°F	Remco	FDA 021
	6552x*	128 oz. Mega Dipper	11"	8.7"	7.3"	Polypropylene/Stainless Steel
	2 3 4 5 6 7	183°F	1.48 lbs.	266°F	Remco	FDA 021

Recommended handles for use with the Remco Mega Scoop Dipper:

- » 2935x - 51" Color-Coded Aluminum Handle
- » 2945 - 51" Light-Duty Aluminum Handle
- » 2959x - Color-Coded Full Aluminum Handle

For more handle options, see pages 50-53 or visit our website at [remcoproducts.com](http://remcoproducts.com)

# Scrapers



















Scraping tools from Remco offer solutions for a variety of bench top, food prep, and floor applications. These tools are ideal for when you need a hygienic option for effectively moving materials, and they are rigid enough to perform without bending or breaking.




Recommended handles for use with Remco and Vikan scrapers:

- » 2937x - 59" Aluminum Handle
- » 2939x - 59" Stainless Steel Handle
- » 2962x - 59" Ultra Hygiene Handle

For more handle options, see pages 50-53 or visit our website at [remcoproducts.com](http://remcoproducts.com)

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Deflection Temp	Weight	Max Temp	Brand	Additional Details
	2900x 2 3 4 5 6	Food Hoe 410°F	11.25" 1.13 lbs.	2" 419°F	8" Remco	Nylon FDA 021
	2910x 2 3 4 5 6 9	Stainless Steel Floor Scraper -	10.24" 0.57 lbs.	6.89" 250°F	1.18" Vikan	Polypropylene/Stainless Steel FDA 021
	2911x 2 3 4 5 6 9	Nylon Floor Scraper 410°F	10.25" 0.65 lbs.	1" 419°F	6.9" Remco	Nylon FDA 021
	4010x 1 2 3 4 5 6 7 8 9	2" Stainless Steel Handle Mounted Scraper -	8.07" 0.18 lbs.	1.97" 392°F	1.26" Vikan	Polypropylene/Stainless Steel FDA 021
	4011x 1 2 3 4 5 6 7	4" Stainless Steel Handle Mounted Scraper -	8.07" 0.2 lbs.	3.94" 392°F	1.26" Vikan	Polypropylene/Stainless Steel FDA 021
	4012x 2 3 4 5 6	Nylon Scraper with Threaded Handle -	8.07" 0.15 lbs.	3.94" 250°F	1.26" Vikan	Polypropylene/Nylon FDA 021
	4051x 2 3 4 5 6	Flexible Hand Scraper -	6.5" 0.04 lbs.	0.08" 250°F	3.62" Vikan	Polypropylene FDA 021
	6959x 1 2 3 4 5 6 7 8 9 10 11 12	5" Mini Bench Scraper 183°F	0.3" 0.09 lbs.	5.25" 266°F	3.4" Remco	Polypropylene FDA 021
	6960x 1 2 3 4 5 6 7 8 9 10 11 12	8" Bench Scraper 183°F	0.9" 0.29 lbs.	8.3" 266°F	5.2" Remco	Polypropylene FDA 021
	6961x 1 2 3 4 5 6 7 8 9 10 11 12	3" Scraper 183°F	0.75" 0.1 lbs.	3" 266°F	7.8" Remco	Polypropylene FDA 021
	6962x 1 2 3 4 5 6 7 8 9 10 11 12	4" Scraper 183°F	0.88" 0.15 lbs.	4.25" 266°F	9.19" Remco	Polypropylene FDA 021
	6963x 2 3 4 5 6	4" High Temperature Scraper 424°F	0.88" 0.25 lbs.	4.25" 392°F	9.38" Remco	Nylon/Glass-Fiber FDA 021
	6971x 1 2 3 4 5 6 7 8 9 10 11 12	1.5" Stainless Steel Scraper 183°F	1" 0.21 lbs.	1.5" 266°F	8.9" Remco	Polypropylene/Stainless Steel FDA 021
	6972x 1 2 3 4 5 6 7 8 9 10 11 12	3" Stainless Steel Scraper 183°F	1" 0.25 lbs.	3" 266°F	8.9" Remco	Polypropylene/Stainless Steel FDA 021
	7011x 2 3 4 5 6	Stiff Paddle Scraper -	8.66" 0.31 lbs.	4.53" 347°F	1.3" Vikan	Nylon FDA 021
	7013x 2 3 4 5 6	Flexible Paddle Scraper -	8.66" 0.22 lbs.	4.53" 176°F	1.3" Vikan	Polyethylene FDA 021

# Wall Brackets



Protect your tools and keep work areas neat with color-coded wall brackets from Vikon. Properly hanging your tools prolongs the life of your equipment. Most brackets are extendable when mounted adjacently and can accommodate nearly any product.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors		Weight	Max Temp	Brand	Additional Details
	0618	Wall Bracket for 6 Tools	18.11"	2.56"	2.17"	Stainless Steel
	-		1.3 lbs.	250°F		
	0615x	Basic Wall Bracket	9.45"	6.69"	2.36"	Polypropylene
			0.51 lbs.	212°F		
	1011x	Hygienic Hi-Flex Wall Bracket System	16.54"	3.43"	1.89"	Polypropylene/TPE Rubber/Polyamide
			0.64 lbs.	250°F		
	1012x	Hygienic Wall Bracket, Single Hook Module	1.61"	3.07"	1.89"	Polypropylene/Polyamide
			0.06 lbs.	250°F		
	1013x	Hygienic Wall Bracket, Grip Band Module	3.23"	3.43"	1.89"	Polypropylene/TPE Rubber/Polyamide
			0.18 lbs.	250°F		
	1014x	Hygienic Wall Bracket, Double Hook Module	3.23"	3.07"	1.89"	Polypropylene/Polyamide
			0.12 lbs.	250°F		
	16200	Wall Bracket for Bucket	14.57"	3.15"	1.97"	Stainless Steel
	-		0.51 lbs.	250°F		

New Item!

New Item!

New Item!

New Item!

Now in Stock

Contact us for information about our newly stocked stainless steel wall brackets:

































0617 Bracket for 4 Tools



# Buckets



Buckets from Vikon are ideal for moving, measuring, and mixing bulk materials, and are color-coded to assist in the prevention of cross-contamination.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors		Weight	Max Temp	Brand	Additional Details
	5686x	3 Gallon Bucket	12.8"	13"	13"	Polypropylene/Stainless Steel
	1 2 3 4 5 6 7 8 9 06 7 8		2.2 lbs.	250°F		  
	5687x	3 Gallon Bucket Lid	14.37"	12.2"	1.57"	Polypropylene
	1 2 3 4 5 6 7 8 9 06 7 8		0.5 lbs.	250°F		  
	5688x	1.5 Gallon Bucket	10.24"	10.63"	10.16"	Polypropylene/Stainless Steel
	1 2 3 4 5 6 7 8 9 06 7 8		1.21 lbs.	250°F		  
	5689x	1.5 Gallon Bucket Lid	11.61"	9.84"	0.79"	Polypropylene
	1 2 3 4 5 6 7 8 9 06 7 8		0.26 lbs.	250°F		  
	5692x	5 Gallon Bucket	18.5"	18.5"	14.96"	Polypropylene/Stainless Steel
	2 3 4 5 6		3.88 lbs.	250°F		  
	5693x	5 Gallon Bucket Lid	14.37"	12.2"	1.57"	Polypropylene
	2 3 4 5 6		0.88 lbs.	250°F		  























# Metal Detectable Products




Produced with a specially formulated FDA-compliant polypropylene resin, our tools can be identified by standard metal detection equipment. They are a great alternative to stainless steel.



	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Deflection Temp	Weight	Max Temp	Brand	Additional Details
	6400MDx	32 oz. Metal Detectable Hand Scoop	11.5"	4.3"	3"	Polypropylene/Semi-Ferrous Additive
		183°F	0.53 lbs.	266°F	Remco	FDA, Q2, HACCP
	6500MDx	82 oz. Metal Detectable Hand Scoop	15.1"	5.9"	3.3"	Polypropylene/Semi-Ferrous Additive
		183°F	0.87 lbs.	266°F	Remco	FDA, Q2, HACCP
	6777MDx	52" Metal Detectable Mixing Paddle	51.7"	6"	1.4"	Polypropylene/Semi-Ferrous Additive
		183°F	3.63 lbs.	266°F	Remco	FDA, Q2, HACCP
	6959MDx	5" Metal Detectable Mini Bench Scraper	0.3"	5.25"	3.4"	Polypropylene/Semi-Ferrous Additive
		183°F	0.12 lbs.	266°F	Remco	FDA, Q2, HACCP
	6960MDx	8" Metal Detectable Bench Scraper	0.9"	8.3"	5.2"	Polypropylene/Semi-Ferrous Additive
		183°F	0.39 lbs.	266°F	Remco	FDA, Q2, HACCP
	6961MDx	3" Metal Detectable Scraper	0.75"	3"	7.88"	Polypropylene/Semi-Ferrous Additive
		183°F	0.15 lbs.	266°F	Remco	FDA, Q2, HACCP
	6962MDx	4" Metal Detectable Scraper	0.82"	4.25"	9.19"	Polypropylene/Semi-Ferrous Additive
		183°F	0.25 lbs.	266°F	Remco	FDA, Q2, HACCP
	6981MDx	One-Piece Metal Detectable Shovel w/ 10" Blade	37.5"	10.2"	5.9"	Polypropylene/Semi-Ferrous Additive
		183°F	3.53 lbs.	266°F	Remco	FDA, Q2, HACCP
	6982MDx	One-Piece Metal Detectable Shovel w/ 14" Blade	42.5"	13.75"	6.6"	Polypropylene/Semi-Ferrous Additive
		183°F	5.49 lbs.	266°F	Remco	FDA, Q2, HACCP
	MDTK	Metal Detectable Test Kit	4.3"	1.9"	0.5"	Polypropylene/Semi-Ferrous Additive
	Blue	183°F	0.03 lbs.	266°F	Remco	FDA, Q2, HACCP



**Approximate Detectability of Remco Metal Detectable Line**



Due to variables in the testing environment, the exact level of detection should be determined by in-house testing.

The Metal Detectable Test Kit is available to allow testing for detectability with specific equipment. Many variables contribute to detectability. Please call Remco for guidance in testing with your system.









# Tubs and Undercarriages



Remco tubs are designed for bulk material handling jobs that require containers made of FDA-compliant materials. Constructed of high-density polyethylene, they can be used for transporting, freezing, and storing.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Deflection Temp	Weight	Max Temp	Brand	Additional Details
	69015	Angled Dump Tub	54.6"	32"	21.7"	Polyethylene
	White	173°F	28 lbs.	258°F	<b>Remco</b>	FDA 02 B
	69025	Angled Dump Tub Lid	56"	32"	4.3"	Polyethylene
	White	173°F	15 lbs.	258°F	<b>Remco</b>	FDA 02 B
	6903	Regular Undercarriage	41.1"	27.3"	19.1"	Galvanized Steel
	-	-	69.5 lbs.	-	<b>Remco</b>	02 B
	6904	Low Undercarriage	40.25"	26.9"	8.9"	Galvanized Steel
	-	-	85.5 lbs.	-	<b>Remco</b>	02 B
	69055	Angled Dump Tub w/Drain Plug	54.6"	32"	21.7"	Polyethylene
	White	173°F	28 lbs.	258°F	<b>Remco</b>	B 02 B
	6906	Stainless Steel Undercarriage	41.1"	27.3"	19.1"	Stainless Steel
	-	-	57 lbs.	-	<b>Remco</b>	02 B



	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Deflection Temp	Weight	Max Temp	Brand	Additional Details
	69115	Transport Storage Tub	46.8"	26.5"	16.9"	Polyethylene
	White	173°F	20.5 lbs.	258°F	<b>Remco</b>	FDA 02 EU
	69125	Transport Storage Tub Lid	46.9"	26.9"	1.7"	Polyethylene
	White	173°F	10.5 lbs.	258°F	<b>Remco</b>	FDA 02 EU
	6913	Galvanized Steel Undercarriage	42.5"	21.6"	9.4"	Galvanized Steel
	-	-	57.5 lbs.	-	<b>Remco</b>	02 EU
	69155	Transport Storage Tub w/ Drain Plug	46.8"	26.5"	16.9"	Polyethylene
	White	173°F	20.5 lbs.	258°F	<b>Remco</b>	B 02 EU
	6921	Aero Tote Tub	40.7"	37"	20.7"	Polyethylene
	White	173°F	25.5 lbs.	258°F	<b>Remco</b>	FDA 02 EU
	6922	Aero Tote Tub Lid	41.2"	37.2"	2.75"	Polyethylene
	White	173°F	13.5 lbs.	258°F	<b>Remco</b>	FDA 02 EU
	6923	Aero Tote Pallet	37.4"	32.6"	9.8"	Polyethylene
	White	173°F	18 lbs.	258°F	<b>Remco</b>	FDA 02 EU
	6925	Aero Tote Tub w/ Drain Plug	40.7"	37"	20.7"	Polyethylene
	White	173°F	25.50 lbs.	258°F	<b>Remco</b>	B 02 EU



## CLEANING TOOLS

Maintaining a sanitary environment is an absolute necessity in a food processing facility, but production time is also an important focus. The ideal sanitation program integrates efficacy and efficiency. Compromise is never an option when it comes to keeping consumers safe from contamination.

For over 120 years, Vikan has focused on developing the most hygienic and effective cleaning tools in the world. With Vikan's product development emphasis on efficiency, functionality, and ergonomics, sanitation professionals have access to tools that are precisely suited for the most complex cleaning tasks.

With Remco's local support, your facility is afforded the ability to meet and exceed the highest food safety and quality standards in the industry—protecting the safety of your food products and the integrity of your brand.

# Cleaning Tools Product Selection Guide

Remco Products and Vikan offer a range of brush styles, squeegee blades, and handle types to meet the varying demands of food processors.

Choose the brush that best fits the application:



## Soft

Ideal for sweeping dry, fine particles like flour and sugar.



## Medium

Can be used for wet or dry applications; great for sweeping larger food particles, such as peelings.



## Stiff

Perfect for scrubbing difficult dirt and for wet use with cleaning agents.



## Soft/Stiff Combo

Stiff bristles that loosen stubborn dirt combine with soft bristles that sweep away fine particles.



## Soft/Split

Split bristle fibers hold more water and cleaning agent to achieve a maximum washing effect.

Choose the blade that best fits the application:



## Single Blade Ultra Hygiene

Zero seams or cracks for bacteria to hide in, providing the highest level of hygiene. The hygienic design has smooth, rounded surfaces with elongated ends to protect the rubber blade and guard against splashes.



## Double Blade Ultra Hygiene

Efficient in areas such as large food production facilities, it collects every particle with flexible non-porous rubber blades. These squeegees feature replaceable rubber cassettes designed to move liquids and debris on tiled, uneven surfaces.



## Double Blade Foam Rubber

The neoprene rubber blades make this squeegee the most effective at moving large amounts of liquid on smooth and tiled surfaces. The soft black blade is intended for use on floors only and is not FDA-compliant.

Choose the handle that best fits the application:

## Ultra Hygiene



Made of FDA-compliant polypropylene, this handle is uniquely hygienic and durable in its construction. It also boasts the added benefit of being total color, making it an excellent choice for inclusion in a color-coding system.

## Stainless Steel



Stainless steel handles stand up to the most aggressive chemicals, making them a great choice for environments where chemical resistance is critical.

## Aluminum



Aluminum handles are a solid option in any hygiene-sensitive environment. Aluminum provides a cost-effective and reliable solution to a facility's needs.

## Fiberglass



Remco strongly recommends transitioning to total-color Ultra Hygiene handles. Ultra Hygiene handles are more hygienic, ergonomic, and cost less than fiberglass. Please contact us for more details.

# Sweeping Brooms



29165



29206



29152



29147



31052



31043



31034



31784



31668

Vikan sweeping brooms are designed for environments where hygiene and efficiency are essential.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	2914x 	12" Angle Broom Stiff	11.42" 1.02 lbs.	1.57" 250°F	10.63" Vikan.	Polypropylene/Polyester/SS FDA
	2915x 	13" Push Broom Stiff	13" 1.72 lbs.	3.94" 250°F	6.69" Vikan.	Polypropylene/Polyester/SS FDA
	2916x 	12" Split Bristle Angle Broom Soft/Split	11.8" 0.9 lbs.	1.75" 250°F	9.25" Vikan.	Polypropylene/Polyester/SS FDA
	2920x 	20" Push Broom Stiff	20.87" 2.45 lbs.	3.54" 250°F	6.89" Vikan.	Polypropylene/Polyester/SS FDA
	3103x 	Medium Medium	9.84" 0.32 lbs.	1.18" 250°F	4.72" Vikan.	 FDA
	3104x 	10" Upright Broom Soft	10.24" 0.75 lbs.	1.38" 250°F	6.89" Vikan.	Polypropylene/Polyester/SS FDA
	3105x 	10" Angle Cut Lobby Broom Medium	10.24" 0.71 lbs.	1.38" 250°F	7.09" Vikan.	 Polypropylene/Polyester/SS FDA
	3166x 	12" Upright Broom Medium	12.2" 0.95 lbs.	2.36" 250°F	5.51" Vikan.	Polypropylene/Polyester/SS FDA
	3178x 	16" Fine Particle Push Broom Soft/Split	16.25" 1.03 lbs.	2.8" 185°F	4.2" Vikan.	Polypropylene/SS FDA



# Sweeping Brooms

31797



31946



31994



317477









31712



31733

These brooms come in a variety of bristle options to accommodate cleaning and sanitation efforts in any food production facility. For more information regarding bristle types and intended usage, see the Product Selection Guide found on page 31.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	3171x 1 2 3 4 5 6 7 8	16" UST Soft Push Broom Soft	15.75" 0.78 lbs.	1.97" 250°F	3.74" Vikan	Polypropylene/Polyester FDA 03 EU
	3173x 1 2 3 4 5 6 7 8	16" UST Medium Push Broom Medium	15.25" 0.9 lbs.	1.875" 250°F	4.7" Vikan	Polypropylene/Polyester FDA 03 EU
	3174x 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	16" Combo Push Broom Soft/Stiff	16.14" 1.17 lbs.	3.54" 250°F	4.72" Vikan	Polypropylene/Polyester/SS FDA 03 EU
	3179x 1 2 3 4 5 6 7 8 9	16" Small Particle Push Broom Soft	16.14" 1.1 lbs.	2.56" 250°F	5.12" Vikan	Polypropylene/Polyester/SS FDA 03 EU
	3194x 2 3 4 5 6 8 9	24" Combo Push Broom Soft/Stiff	24.02" 1.65 lbs.	2.76" 250°F	4.92" Vikan	Polypropylene/Polyester/SS FDA 03 EU
	3199x 2 3 4 5 6 7 8 9	24" Small Particle Push Broom Soft	24.02" 1.7 lbs.	2.56" 250°F	4.92" Vikan	Polypropylene/Polyester/SS FDA 03 EU

Recommended handles for use with Vikan push brooms:

- » 2937x - 59" Aluminum Handle
- » 2939x - 59" Stainless Steel Handle
- » 2962x - 59" Ultra Hygiene Handle

















For more handle options, see pages 50-53 or visit our website at [remcoproducts.com](http://remcoproducts.com)



# Deck Scrubs



Deck scrubs and tank brushes from Vikan are available in a variety of bristle options and are designed to accommodate cleaning and sanitation efforts in any food production facility. Additional information regarding bristle types and usage can be found in the Product Selection Guide on page 31. More information and a complete listing of Vikan waterfed products offered by Remco can be found on pages 54 and 55.


	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	7040x 	Grout Brush Stiff	8.86" 0.49 lbs.	1.38" 250°F	3.54" Vikan	Polypropylene/Polyester/SS FDA  
	7042x 	Compact Deck Scrub Stiff	8.86" 0.73 lbs.	2.95" 250°F	4.53" Vikan	Polypropylene/Polyester/SS FDA  
	7047x 	High-Low Brush Medium	10.43" 1.1 lbs.	5.91" 250°F	3.94" Vikan	Polypropylene/Polyester/SS FDA  
	7060x 	12" Deck Scrub Stiff	12.01" 1.3 lbs.	3.35" 250°F	4.33" Vikan	Polypropylene/Polyester/SS FDA  
	7067x 	Waterfed Washing Brush w/ Angle Adjustment Soft/Split	9.45" 0.95 lbs.	5.12" 250°F	5.71" Vikan	Polypropylene/Polyester/SS FDA   



# Deck Scrubs



# Tank Brushes



	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	7037x	Stiff Tank Brush	8.07"	5.12"	3.94"	Polypropylene/Polyester/SS
		Stiff	1.04 lb.	250°F		
	7039x	Medium Tank Brush	8.07"	5.12"	3.94"	Polypropylene/SS
		Medium	0.88 lbs.	185°F		
	7041x	11" Extra-Stiff Deck Scrub	10.63"	2.95"	3.74"	Polypropylene/Polyester/SS
		Stiff	0.86 lbs.	250°F		
	7043x	11" Deck Scrub	10.63"	2.95"	3.94"	Polypropylene/Polyester/SS
		Medium	0.9 lbs.	250°F		
	7062x	19" Deck Scrub	18.5"	3.15"	4.53"	Polypropylene/Polyester/SS
		Stiff	1.96 lbs.	250°F		
	7064x	16" UST Deck Scrub	15.75"	1.97"	2.95"	Polypropylene/Polyester
		Stiff	0.77 lbs.	250°F		

Recommended handles for use with Vikan deck scrubs:

- » 2935x - 51" Aluminum Handle
- » 2939x - 59" Stainless Steel Handle
- » 2960x - 51" Ultra Hygiene Handle

For more handle options, see pages 50-53 or visit our website at [remcoproducts.com](http://remcoproducts.com)



# Hand Brushes



38923



38852



38901



44016



64407



35874



39515







































Hand brushes from Vikon cover a wide range of scrubbing and cleaning applications while providing an ergonomic grip for the user. Each hand brush is designed to perform a specific cleaning function based on design and bristle type. Additional information regarding bristle types and respective intended use is available in the Product Selection Guide found on page 31.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	3587x	Medium Hand Brush	6.5"	1.97"	1.77"	Polypropylene/Polyester/SS
	2 3 4 5 6	Medium	0.24 lbs.	250°F		
	3885x	Round Hand Brush	4.33"	4.33"	4.33"	Polypropylene/Polyester/SS
	2 3 4 5 6	Stiff	0.53 lbs.	250°F		
	3890x	Large Hand Brush	7.87"	2.76"	2.36"	Polypropylene/Polyester/SS
	1 2 3 4 5 6 7 8 9	Stiff	0.49 lbs.	250°F		
	3892x	Extra-Large Hand Brush	9.45"	4.33"	2.36"	Polypropylene/Polyester/SS
	2 3 4 5 6	Stiff	0.55 lbs.	250°F		
	3951x	Detail Brush with Scraping Edge	5.91"	1.06"	3.54"	Polypropylene/Polyester
	3 4 5	Stiff	0.06 lbs.	250°F		
	4401x	Detail Brush	8.07"	0.79"	1.57"	Polypropylene/Polyester/SS
	2 3 4 5 6 7 8 9	Stiff	0.07 lbs.	250°F		
	6440x	Small Hand Brush	5.12"	1.97"	1.57"	Polypropylene/Polyester/SS
	1 2 3 4 5 6 7 8 9	Stiff	0.22 lbs.	250°F		

New Item!

# Hand Brushes



	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	4195x	Narrow Utility Brush	11.81"	0.79"	2.76"	Polypropylene/Polyester/SS
		Stiff	0.2 lbs.	250°F		  
	4581x	UST Soft Bench Brush	13"	1.38"	5.31"	Polypropylene/Polyester
		Soft	0.4 lbs.	250°F		   
	4582x	Baker's Brush	11.81"	1.22"	3.94"	Polypropylene/Polyester/SS
		Soft	0.64 lbs.	250°F		  
	4585x	UST Medium Bench Brush	13"	1.38"	5.31"	Polypropylene/Polyester
		Medium	0.4 lbs.	250°F		   
	4587x	Soft Bench Brush	13"	1.38"	4.33"	Polypropylene/Polyester/SS
		Soft	0.37 lbs.	250°F		  
	4589x	Medium Bench Brush	13"	1.38"	4.33"	Polypropylene/Polyester/SS
		Medium	0.37 lbs.	250°F		  

# Hand Brushes



41797



41921



























41942



41693

Whether sweeping dry, fine particles or scrubbing stubborn debris in a wet environment, Vikon offers a range of ergonomically designed hand brushes with varying bristle options designed to tackle the task at hand.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	4179x	UST Short Handle Scrubbing Brush	10.24"	2.76"	3.94"	Polypropylene/Polyester
		Stiff	0.35 lbs.	250°F		  
	4192x	Short Handle Scrubbing Brush	10.63"	2.76"	3.35"	Polypropylene/Polyester/SS
		Stiff	0.46 lbs.	250°F		  
	4194x	Short Handle Washing Brush	10.63"	2.76"	3.35"	Polypropylene/Polyester/SS
		Soft/Split	0.51 lbs.	250°F		  
	4198x	Short Handle Washing Brush	10.63"	2.76"	3.34"	Polypropylene/Polyester/SS
		Soft	0.49 lbs.	250°F		  







New Item!




# Hand Brushes



New Item!

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	3088x 2 3 4 5 6	Small Utility Brush Medium	10.24" 0.2 lbs.	1.57" 250°F	2.76" Vikan.	Polypropylene/Polyester/SS FDA 021
	4185x 2 3 4 5 6 7 8	Narrow Long Handle Cleaning Brush Stiff	16.54" 0.51 lbs.	1.81" 250°F	4.33" Vikan.	Polypropylene/Polyester/SS FDA 021
	4186x 1 2 3 4 5 6 7 8 9	Long Handle Scrubbing Brush Stiff	16.34" 0.53 lbs.	2.8" 250°F	2.95" Vikan.	Polypropylene/Polyester/SS FDA 021
	4196x 1 2 3 4 5 6 7 8	UST Long Handle Scrubbing Brush Stiff	15.55" 0.44 lbs.	2.76" 250°F	5.51" Vikan.	Polypropylene/Polyester FDA 021
	4237x 1 2 3 4 5 6 7	Dish Brush w/ Scraper Medium	11.02" 0.11 lbs.	2.36" 250°F	2.17" Vikan.	Polypropylene/Polyester/SS FDA 021
	4287x 2 3 4 5 6	Narrow Dish Brush Medium	11.42" 0.09 lbs.	0.98" 250°F	2.56" Vikan.	Polypropylene/Polyester/SS FDA 021

# Tube Brushes



Tube and valve brushes are designed to facilitate cleaning in the narrowest spaces. They are suitable for a variety of cleaning tasks including drains, meat mincers, and graters.

# Tube Brush Heads



These tube brushes are compatible with:

- 53515 - Metal Flexible Brush Handle
- 5346 - Metal Flexible Brush Handle Extension
- 5350 - Long Metal Flexible Brush Handle
- 53525 - Long Nylon Flexible Brush Handle

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	5346	Stainless Steel Flex Rod Extension for Handle (53515)	30.9"	0.2"	0.2"	Stainless Steel
	Steel	-	0.23 lbs.	250°F		
	5350	Long Stainless Steel Flex Rod Handle	61.4"	1"	1"	Polypropylene/Stainless Steel
	White/Steel	-	0.49 lbs.	250°F		
	53515	Stainless Steel Flex Rod Handle	29.7"	0.2"	0.2"	Polypropylene/Stainless Steel
	White/Steel	-	0.26 lbs.	250°F		
	53525	Nylon Flex Rod Handle	59.25"	0.24"	0.24"	Polyamide/Stainless Steel/ Polypropylene
	White	-	0.18 lbs.	250°F		
	5354x	Ø0.5" Tube Brush for Flex Rod	7.87"	0.47"	0.47"	Polyester/Stainless Steel
		Medium	0.04 lbs.	250°F		
	5356x	Ø2.4" Tube Brush for Flex Rod	2.36"	7.87"	7.87"	Polyester/Stainless Steel
		Medium	0.11 lbs.	250°F		




	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	5360x	Ø0.6" Drain Cleaning Brush	12.2"	0.87"	0.87"	Polyester/Stainless Steel/ Polypropylene
	3 4 9	Stiff	0.11 lbs.	250°F	Vikan	FDA 021 EU
	5362x	Small Diameter Tube Brush Set	5.91"	Ø0.08", Ø0.12", Ø0.24"		Polyester/Stainless Steel
	3 4 5	Soft	0.02 lbs.	250°F	Vikan	FDA 021 EU
	5365x	Ø0.8" Tube Brush for Flex Rod	7.87"	0.79"	0.79"	Polyester/Stainless Steel
	2 3 4 5 6	Medium	0.07 lbs.	250°F	Vikan	FDA 021 EU
	5368x	Ø1.6" Tube Brush for Flex Rod	7.87"	1.57"	1.57"	Polyester/Stainless Steel
	2 3 4 5 6	Medium	0.09 lbs.	250°F	Vikan	FDA 021 EU
	5370x	Ø2.4" Tube Brush	20.08"	2.36"	2.36"	Polyester/Stainless Steel/ Polypropylene
	1 2 3 4 5 6 7 8 9	Medium	0.22 lbs.	250°F	Vikan	FDA 021 EU
	5375x	Ø0.4" Tube Brush	18.9"	0.39"	0.39"	Polyester/Stainless Steel/ Polypropylene
	2 3 4 5 6	Stiff	0.15 lbs.	250°F	Vikan	FDA 021 EU
	5376x	Ø0.9" Tube Brush	19.69"	0.79"	0.79"	Polyester/Stainless Steel/ Polypropylene
	1 2 3 4 5 6 7 8 9	Medium	0.18 lbs.	250°F	Vikan	FDA 021 EU
	5378x	Ø1.5" Tube Brush	20.08"	1.57"	1.57"	Polyester/Stainless Steel/ Polypropylene
	1 2 3 4 5 6 7 8 9	Stiff	0.2 lbs.	250°F	Vikan	FDA 021 EU
	5379x	Ø2" Tube Brush	20.08"	1.97"	1.97"	Polyester/Stainless Steel/ Polypropylene
	2 3 4 5 6	Medium	0.2 lbs.	250°F	Vikan	FDA 021 EU
	5391x	Ø3.5" Pipe Brush for Flex Rod	7.87"	3.54"	3.54"	Polyester/Stainless Steel
	2 3 4 5 6	Medium	0.15 lbs.	250°F	Vikan	FDA 021 EU



# Tube Brushes












































# Valve Brushes



When narrow spaces make cleaning a challenge, Vikon tube and valve brushes can help. These products are well-suited for cleaning drains and other equipment in areas where accessibility may be difficult.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	5380-50-x*	Ø2" Pipe Brush	5.51"	1.97"	1.97"	Polyester/Polypropylene/ Stainless Steel
	2 3 4 5 6	Stiff Bristles	0.24 lbs.	250°F	Vikon	FDA 02 03 04
	5380-63-x*	Ø2.5" Pipe Brush	5.71"	2.56"	2.56"	Polyester/Polypropylene/ Stainless Steel
	2 3 4 5 6	Stiff Bristles	0.26 lbs.	250°F	Vikon	FDA 02 03 04
	5380-77-x*	Ø3" Pipe Brush	6.1"	3.15"	3.15"	Polyester/Polypropylene/ Stainless Steel
	2 3 4 5 6 9	Medium Bristles	0.26 lbs.	250°F	Vikon	FDA 02 03 04
	5380-90-x*	Ø3.5" Pipe Brush	6.3"	3.54"	3.54"	Polyester/Polypropylene/ Stainless Steel
	2 3 4 5 6 9	Medium Bristles	0.31 lbs.	250°F	Vikon	FDA 02 03 04
	5380-103-x*	Ø4" Pipe Brush	6.69"	3.94"	3.94"	Polyester/Polypropylene/ Stainless Steel
	2 3 4 5 6 9	Medium Bristles	0.35 lbs.	250°F	Vikon	FDA 02 03 04



	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	53815	Ø1" Tube Brush w/ 3' Flex Handle	36.2"	1"	1"	Polyester/Stainless Steel/ Polypropylene
	White/Steel	Stiff Bristles	0.31 lbs.	250°F		  
	53825	Ø2" Tube Brush w/ 3' Flex Handle	36.2"	1.9"	1.9"	Polyester/Stainless Steel/ Polypropylene
	White/Steel	Soft Bristles	0.34 lbs.	250°F		  
	53835	Ø3" Tube Brush w/ 3' Flex Handle	36.2"	3"	3"	Polyester/Stainless Steel/ Polypropylene
	White/Steel	Soft Bristles	0.37 lbs.	250°F		  
	53865	Ø1" Tube Brush w/ 5' Flex Handle	59.8"	1"	1"	Polyester/Stainless Steel/ Polypropylene
	White/Steel	Stiff Bristles	0.5 lbs.	250°F		  
	53875	Ø2" Tube Brush w/ 5' Flex Handle	59.8"	1.9"	1.9"	Polyester/Stainless Steel/ Polypropylene
	White/Steel	Soft Bristles	0.5 lbs.	250°F		  
	53885	Ø3" Tube Brush w/ 5' Flex Handle	59.8"	3"	3"	Polyester/Stainless Steel/ Polypropylene
	White/Steel	Soft Bristles	0.55 lbs.	250°F		  
	7035x*	Ø5" Pipe Brush	4.53"	5.31"	5.31"	Polyester/Polypropylene/ Stainless Steel
		Medium Bristles	0.71 lbs.	250°F		  
	5381-90-x	Ø3.5" One-Piece Pipe Brush	16.93"	3.54"	3.54"	Polyester/Polypropylene/ Stainless Steel
		Stiff Bristles	0.37 lbs.	250°F		  




Recommended handles for use with Vikan Pipe Brushes:






























- » 2960x - 51" Ultra Hygiene Handle
- » 2962x - 59" Ultra Hygiene Handle
- » 2964x - 67" Ultra Hygiene Handle
- » 2935x - 51" Color-Coded Aluminum Handle
- » 2945 - 51" Aluminum Handle

For more handle options, see pages 50-53 or visit our website at [remcoproducts.com](http://remcoproducts.com)

# Special Application Brushes
























Vikan special application brushes solve specific cleaning challenges in hygienic environments.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	41845	Blade Cleaning Brush w/ Hand Guard	19.69"	5.71"	5.71"	Polyester/Stainless Steel/ Polypropylene
	White	Medium	0.44 lbs.	250°F		  
	4197x	Ultra-Slim Wand Brush	23.62"	0.59"	2.36"	Regenerated Polypropylene/ Polyester/Stainless Steel
		Medium	0.31 lbs.	250°F		  
	53619	Drain Cleaning Brush	10.83"	3.78"	2.36"	Polyester/Stainless Steel/ Polypropylene
	Black	Stiff	0.35 lbs.	250°F		 
	5372x	Hook Brush	14.17"	7.87"	2.17"	Polyester/Stainless Steel/ Polypropylene
		Stiff	0.35 lbs.	250°F		  
	53713	Soft Overhead Brush	20.87"	9.06"	6.69"	Polyester/Stainless Steel/ Polypropylene
	Blue	Soft	1.23 lbs.	250°F		 
	53743	Medium Overhead Brush	20.08"	7.48"	4.72"	Polyester/Stainless Steel/ Polypropylene
	Blue	Medium	0.84 lbs.	250°F		 

# Special Application Brushes



Vikan special application brushes can help in environments where tools fit for very specific jobs may be required.

	Parent Number	Product Name	Length	Width	Thickness	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	555130x	UST Detail Brush	8.07"	1.18"	0.39"	Polypropylene/Polyester
	1 2 3 4 5 6 7 8	Soft	0.07 lbs.	250°F		   
	555230x	1" Pastry/Detail Brush	7.68"	1.18"	0.57"	Polyester/Polypropylene/ Stainless Steel
	2 3 4 5 6	Soft	0.07 lbs.	250°F		  
	555250x	2" Pastry/Detail Brush	7.68"	1.97"	0.57"	Polyester/Polypropylene/ Stainless Steel
	2 3 4 5 6	Soft	0.09 lbs.	250°F		  
	555270x	3" Pastry/Detail Brush	7.68"	2.76"	0.57"	Polyester/Polypropylene/ Stainless Steel
	2 3 4 5 6	Soft	0.13 lbs.	250°F		  



# Squeegees



77152



77142



77132



77646



77553



77543



77533



77523



71704



71604


































































71504



71404

Ultra Hygiene squeegees are perfect for food contact surfaces, while foam blade squeegees powerfully tackle floors and drains. Replacement blades are available for foam blade and double blade Ultra Hygiene squeegees. See pages 48-49 for replacement blade options.



	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors		Weight	Max Temp	Brand	Additional Details
	7140x	16" Single Blade Ultra Hygiene Squeegee	15.75"	3.15"	3.54"	Polypropylene/Rubber
			0.57 lbs	250°F		  
	7150x	20" Single Blade Ultra Hygiene Squeegee	19.69"	2.95"	3.35"	Polypropylene/Rubber
			0.68 lbs.	250°F		  
	7160x	24" Single Blade Ultra Hygiene Squeegee	23.62"	3.15"	3.74"	Polypropylene/Rubber
			0.79 lbs.	250°F		  
	7170x	28" Single Blade Ultra Hygiene Squeegee	27.56"	2.76"	3.35"	Polypropylene/Rubber
			0.9 lbs.	250°F		  
	7713x	20" Double Blade Ultra Hygiene Squeegee	19.88"	2.76"	3.94"	Polypropylene/Rubber
			0.64 lbs.	250°F		  
	7714x	24" Double Blade Ultra Hygiene Squeegee	23.82"	3.15"	4.33"	Polypropylene/Rubber
			0.79 lbs.	250°F		  
	7715x	28" Double Blade Ultra Hygiene Squeegee	27.56"	3.15"	4.33"	Polypropylene/Rubber
			0.88 lbs.	250°F		  
	7752x††	16" Foam Blade Squeegee	15.75"	3.54"	4.33"	Polypropylene/Foam Rubber
			0.44 lbs.	199°F		
	7753x††	20" Foam Blade Squeegee	19.69"	2.76"	4.53"	Polypropylene/Foam Rubber
			0.55 lbs.	199°F		
	7754x††	24" Foam Blade Squeegee	23.62"	3.35"	4.53"	Polypropylene/Foam Rubber
			0.64 lbs.	199°F		
	7755x††	28" Foam Blade Squeegee	27.56"	3.15"	4.33"	Polypropylene/Foam Rubber
			0.73 lbs.	199°F		
	7764x	24" Swivel Neck Foam Blade Squeegee	23.62"	3.94"	2.95"	Polypropylene/Foam Rubber
			0.84 lbs.	199°F		 




†† Black foam blades are not FDA compliant.

# Squeegees



These replacement blades are available for the Double Blade Ultra Hygiene Squeegees. See page 49 for more replacement head options.
















When condensation forms in high places, you can efficiently remove it with this unique ceiling squeegee.



Vikan bench squeegees are perfect for a variety of countertop applications.






	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors		Weight	Max Temp	Brand	Additional Details
	7125x†	10" Single Blade Ultra Hygiene Bench Squeegee	9.65"	1.97"	4.09"	Polypropylene/Rubber
	1 2 3 4 5 6 7 8		0.51 lbs.	250°F	Vikan	FDA 03
	7711x†	10" Double Blade Ultra Hygiene Squeegee	9.84"	2.76"	3.74"	Polypropylene/Rubber
	2 3 4 5 6		0.46 lbs.	250°F	Vikan	FDA 03
	7716x	16" Condensation Squeegee	15.75"	5.12"	3.15"	Polypropylene/TPE Rubber
	2 3 4 5 6		0.62 lbs.	250°F	Vikan	FDA 03
	7731x	10" Double Blade Refill Cartridge for 7711x	9.84"	0.98"	1.77"	Polypropylene/Rubber
	2 3 4 5 6		0.18 lbs.	250°F	Vikan	FDA 03
	7733x	20" Double Blade Refill Cartridge for 7713x	19.69"	0.98"	1.77"	Polypropylene/Rubber
	2 3 4 5 6		0.31 lbs.	250°F	Vikan	FDA 03
	7734x	24" Double Blade Refill Cartridge for 7714x	23.62"	0.98"	1.77"	Polypropylene/Rubber
	1 2 3 4 5 6 7 8 9		0.37 lbs.	250°F	Vikan	FDA 03
	7735x	28" Double Blade Refill Cartridge for 7715x	27.56"	0.98"	1.77"	Polypropylene/Rubber
	2 3 4 5 6		0.44 lbs.	250°F	Vikan	FDA 03
	7751x†	10" Foam Blade Squeegee	9.84"	2.76"	4.33"	Polypropylene/Foam Rubber
	2 3 4 5 6		0.42 lbs.	194°F	Vikan	03
	77715	10" Foam Blade Refill Cartridge for 7751x or 7761x	9.84"	1.18"	1.77"	Polypropylene/Foam Rubber
	White		0.13 lbs.	194°F	Vikan	03
	7772x††	16" Foam Blade Refill Cartridge for 7752x or 7762x	15.75"	1.18"	1.77"	Polypropylene/Foam Rubber
	5 9		0.2 lbs.	194°F	Vikan	03
	7773x††	20" Foam Blade Refill Cartridge for 7753x or 7763x	19.69"	1.18"	1.77"	Polypropylene/Foam Rubber
	5 9		0.24 lbs.	194°F	Vikan	03
	7774x††	24" Foam Blade Refill Cartridge for 7754x or 7764x	23.62"	1.18"	1.77"	Polypropylene/Foam Rubber
	5 9		0.29 lbs.	194°F	Vikan	FDA
	7775x††	28" Foam Blade Refill Cartridge for 7755x or 7765x	27.56"	1.18"	1.77"	Polypropylene/Foam Rubber
	5 9		0.33 lbs.	194°F	Vikan	FDA

Recommended handles for use with Vikan Condensation Squeegee:

- » 6268B - 16' Extension Handle w/ Bottle
- » 6269B - 16' Extension Handle w/ Bottle
- » 2973Q5 - Waterfed Telescopic Handle

For more handle options, see pages 50-53 or visit our website at [remcoproducts.com](http://remcoproducts.com)



†† White foam blades are FDA compliant.  
 †† Black foam blades are not FDA compliant.

# Handles




- 2945
- 29316
- 29356
- 29376
- 29596
- 29586
- 29392
- 29832



- 29344
- 29664
- 29684
- 29604
- 29644
- 29624

Vikan handles are designed to meet the needs of the food processing industry. These handles may be paired with Vikan and Remco tools. For more information regarding the differences between handle types, see the Product Selection Guide on page 31.

## Polypropylene

- 2934x 
- 2960x / 2962x / 2964x / 2966x / 2968x 

## Aluminum

- 2935x / 2937x 
- 2945 
- 2931x / 2958x / 2959x 
















































































## Stainless Steel

- 2939x / 2983x 

## Fiberglass

- 2936x / 2938x 



	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors		Weight	Max Temp	Brand	Additional Details
	2931x	33" Basic Aluminum Handle	33.07"	0.87"	0.87"	Aluminum/Polypropylene
			0.40 lbs.	250°F		 
	2934x	6" Mini Handle	6.3"	1.18"	1.18"	Polypropylene
			0.15 lbs.	250°F		 
	2935x	51" Aluminum Handle	51.57"	1.22"	1.22"	Polypropylene/Aluminum
			1.08 lbs.	250°F		 
	2936x	51" Fiberglass Handle	51.4"	1.25"	1.25"	Polypropylene/Fiberglass
			1.06 lbs.	250°F		 
	2937x	59" Aluminum Handle	59.45"	1.22"	1.22"	Polypropylene/Aluminum
			1.17 lbs.	250°F		 
	2938x	59" Fiberglass Handle	59.2"	1.25"	1.25"	Polypropylene/Fiberglass
			1.16 lbs.	250°F		 
	2939x	59" Stainless Steel Handle	59.45"	1.22"	1.22"	Polypropylene/Stainless Steel
			2.27 lbs.	250°F		 
	2945	51" Aluminum Light-Duty Handle	51.2"	0.9"	0.9"	Aluminum/Polypropylene
	White/Steel		0.39 lbs.	250°F		 
	2958x	50" Basic Aluminum Handle	49.61"	0.98"	0.98"	Aluminum/Polypropylene
			0.66 lbs.	212°F		 
	2959x	59" Basic Aluminum Handle	57.48"	0.98"	0.98"	Aluminum/Polypropylene
			0.73 lbs.	212°F		 
	2960x	51" Ultra Hygiene Handle	51.18"	1.26"	1.26"	Polypropylene
			0.85 lbs.	250°F		 
	2962x	59" Ultra Hygiene Handle	59.06"	1.26"	1.26"	Polypropylene
			0.99 lbs.	250°F		 
	2964x	67" Ultra Hygiene Handle	66.93"	1.26"	1.26"	Polypropylene
			1.09 lbs.	250°F		 
	2966x	26" Ultra Hygiene Handle	25.6"	1.26"	1.26"	Polypropylene
			0.48 lbs.	250°F		 
	2968x	40" Ultra Hygiene Handle	39.4"	1.26"	1.26"	Polypropylene
			0.68 lbs.	250°F		 
	2983x	39" Stainless Steel Handle	40.35"	1.22"	1.22"	Polypropylene/Stainless Steel
			1.59 lbs.	250°F		 


New Item!

New Item!

# Handles



**Adjustable Angle Thread Adapter**  
Adapter can be attached to any handle and adjusted to the appropriate angle to facilitate easier cleaning.



**Color-Coded Silicone Bands**  
Can be attached to any handle for inclusion in a color-coding program or for special segregation of tools




Vikan handles come in a variety of lengths and types to meet the needs of a variety of applications. For more on handle types, see the Product Selection Guide on page 31.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors		Weight	Max Temp	Brand	Additional Details
	2975x	62" - 113" Telescopic Aluminum Handle	62.01" - 109.45"	1.26"	1.26"	Aluminum/Polypropylene
			2.09 lbs.	250°F		
	2977	74" - 237" Telescopic Fiberglass Handle	74.02" - 236.22"	1.34"	1.34"	Fiberglass/Polypropylene
	Gray/Black		3.99 lbs.	212°F		
	9801x	1" Color-Coding Silicone Band*	1.19"	1.02"	-	Silicone Rubber
			0.04 lbs.	250°F		
	9802x	1.5" Color-Coding Silicone Band**	1.19"	1.57"	-	Silicone Rubber
			0.04 lbs.	250°F		
	29989	Angle Thread Adapter	5.51"	1.77"	1.38"	Polypropylene/Stainless Steel
	Black		0.13 lbs.	-		

New Item!

\*Fits Vikan handles  
\*\*Intended for use with other tools like vacuum nozzles

# Handles



Extension handles from Remco make easy work of difficult-to-reach cleaning tasks. These handles can be paired with Vikan and Remco tools.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Deflection Temp	Weight	Max Temp	Brand	Additional Details
	6268	16' Extension Handle	98.75" - 185.5"	1.26"	1.26"	Fiberglass/Aluminum
	Yellow/White/Black	203°F	2.77 lbs.	392°F	Remco	
	6268B	16' Extension Handle w/ Bottle	99" - 186"	1.26"	1.26"	Fiberglass/Aluminum
	Yellow/White/Black	203°F	2.83 lbs.	392°F	Remco	
	6268N	16' Extension Handle w/ Drain	100" - 187"	1.26"	1.26"	Fiberglass/Aluminum
	Yellow/White/Black	203°F	2.83 lbs.	392°F	Remco	
	6269	16' Fiberglass Extension Handle	102.25" - 192"	1.26"	1.26"	Fiberglass
	White/Black	160°F	3.34 lbs.	392°F	Remco	
	6269B	16' Fiberglass Extension Handle w/ Bottle	102.625" - 192.5"	1.26"	1.26"	Fiberglass
	White/Black	160°F	4.39 lbs.	392°F	Remco	
	6269N	16' Fiberglass Extension Handle w/ Drain	103.5" - 193.5"	1.26"	1.26"	Fiberglass
	White/Black	160°F	4.39 lbs.	392°F	Remco	

# Waterfed



70432



70673



70417































93244



70575


Ideally suited for many kinds of cleaning projects, the waterfed system puts water where you need it. The heavy-duty water gun controls water consumption and is designed for rinsing chemicals off after cleaning.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	7041x	Deck Scrub - Stiff	10.63"	2.95"	3.74"	Polypropylene/Polyester/ Stainless Steel
	2 3 4 5 6 7	Very Stiff	0.86 lbs.	250°F		   
	7043x	Deck Scrub - Soft	10.63"	2.95"	3.94"	Polypropylene/Polyester/ Stainless Steel
	2 3 4 5 6	Soft	0.9 lbs.	250°F		   
	7057x	Waterfed Hand Brush	13"	1.89"	2.95"	Polyester/Stainless Steel/ Polypropylene
	3 5	Stiff	0.53 lbs.	250°F		   
	7067x	Waterfed Washing Brush w/ Angle Adjustment	9.45"	5.12"	5.71"	Polypropylene/Polyester/ Stainless Steel
	2 3 4 5 6	Soft/Split	0.95 lbs.	250°F		   
	9324x	Spray Gun	5.71"	2.17"	6.69"	Rubber/Brass/Stainless Steel
	2 3 4 5 6 9	-	1.76 lbs.	203°F		  



9324 does not connect w/ 3/4" GHT. Part number 0703US is required to connect to a standard U.S. hose.


# Waterfed



The following quick connect products require our Automatic Shut Off Coupling to connect with a standard U.S. 3/4" hose:

- » 7057x - Waterfed Hand Brush
- » 9324x - Heavy-Duty Water Gun
- » 2973Qx - Waterfed Telescopic Handle
- » 2991Qx - Waterfed Ergonomic Handle

Spray Gun Flow Table



Housing in brass. Temp: Max 95° C. Press: Max 24 bar.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors		Weight	Max Temp	Brand	Additional Details
	0703US	Automatic Shut Off Coupling	1.95"	1.02"	1.02"	Chrome Plated Brass
	-		0.26 lbs.	250°F		
	29735	63" - 114" Waterfed Telescopic Handle w/ Barbed Fitting	63.58" - 109.45"	1.26"	1.26"	Aluminum/Polypropylene
	White		2.23 lbs.	250°F		
	2973Q5	63" - 114" Waterfed Telescopic Handle w/ Quick Disconnect Fitting	62.99" - 109.45"	1.26"	1.26"	Aluminum/Polypropylene
	White		2.25 lbs.	250°F		
	29915	62" Waterfed Aluminum Handle w/ Barbed Fitting	61.61"	1.22"	1.22"	Aluminum/Polypropylene
	White		1.34 lbs.	250°F		
	2991Q5	62" Waterfed Handle w/ Quick Disconnect Fitting	60.63"	1.22"	1.22"	Aluminum/Polypropylene
	White		1.30 lbs.	250°F		







# Pad Holder System



Close-up of open locking hook





Vikan's pad holder system uses stainless steel locking hooks to secure the pad firmly in place for cleaning difficult angles and areas. Pads are an excellent option for cleaning surfaces like floors and walls.

	Parent Number	Product Name	Length	Width	Thickness	Materials
	Available Colors	Pad Type	Weight	Qty	Brand	
	5523	Scrub Pad	10"	4.4"	0.8"	Polyester Fibers/Abrasive Additives
	Brown	Coarse Fibers	0.09 lbs.	1 Pad	<b>Remco</b>	
	5524	Scrub Pad	10"	4.4"	1"	Polyester Fibers/Abrasive Additives
	Blue	Medium Fibers	0.09 lbs.	1 Pad	<b>Remco</b>	
	5525	Scrub Pad	10"	4.5"	1.2"	Polyester Fibers
	White	Fine Fibers	0.05 lbs.	1 Pad	<b>Remco</b>	
	5523-10PK	Scrub Pad	10"	4.4"	0.8"	Polyester Fibers/Abrasive Additives
	Brown	Coarse Fibers	0.09 lbs.	10 Pads	<b>Remco</b>	
	5524-10PK	Scrub Pad	10"	4.4"	1"	Polyester Fibers/Abrasive Additives
	Blue	Medium Fibers	0.09 lbs.	10 Pads	<b>Remco</b>	
	5525-10PK	Scrub Pad	10"	4.5"	1.2"	Polyester Fibers
	White	Fine Fibers	0.05 lbs.	10 Pads	<b>Remco</b>	






	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors		Weight	Max Temp	Brand	Additional Details
	5500x	Cleaning Pad Holder	9.25"	3.94"	2.95"	Polypropylene/Stainless Steel/ Nylon
			0.52 lbs.	250°F		
	5510x	Handheld Cleaning Pad Holder	9.25"	3.94"	3.15"	Polypropylene/Stainless Steel/ Nylon
			0.51 lbs.	250°F		



# Floor and Drain Tools

Floors and drains are key components of any food processing sanitation program, and Remco and Vikan's vast selection of black tools can get the job done while being easily distinguishable from food contact tools. With Remco's durable and functional product lines, sanitation professionals have access to tools that are precisely suited for the most complex floor and drain cleaning tasks.



Vikan.



Basic Wall Bracket  
06159

Vikan.



Hi-Flex Wall Bracket  
10119

Vikan.



Hi-Flex Wall Bracket,  
Single Hook Module  
10129

Vikan.



Hi-Flex Wall Bracket,  
Grip Band Module  
10139

Vikan.



Hi-Flex Wall Bracket,  
Double Hook Module  
10149

Vikan.



Stainless Steel  
Floor Scraper  
29109

Remco



Nylon Floor Scraper  
29119

Vikan.



29149: Angle Broom  
29169: Split Bristle Broom

Vikan.



13" Push Broom  
29159

Vikan.



12" Upright Broom  
31669

Vikan.



16" Combo Push Broom  
31749

Vikan.



24" Combo Push Broom  
31949

Vikan.



24" Small Particle  
Push Broom  
31999

Vikan.



High-Low Brush  
70479

Vikan.



12" Deck Scrub  
70609

Vikan.



Tank Brush  
70379

Vikan.



Hand Brush  
38909

Vikan.



Short Handle  
Scrubbing Brush  
41929

Vikan.



Bench Brush  
45879

Vikan.



Bench Brush  
45899



**Vikan.**



Small Hand Brush  
64409

**Vikan.**



Pipe Brushes  
Ø3": 5380-77-9  
Ø3.5": 5380-90-9  
Ø4": 5380-103-9

**Remco**



One-Piece Shovels  
11": 69819  
14": 69829

**Vikan.**



3 Gallon Bucket & Lid  
Pail: 56869  
Lid: 56879

**Vikan.**



1.5 Gallon Bucket & Lid  
Pail: 56889  
Lid: 56899

**Vikan.**



Spray Gun  
93249

**Remco**



Hand Scrapers  
3": 69619  
4": 69629

**Vikan.**



Upright Dustpan  
56629

**Remco**



Lobby Dustpan w/ Broom  
62509

**Remco**



Utility Dustpan  
6350

**Vikan.**



Ultra Hygiene Squeegees  
16": 71409  
24": 71609

**Vikan.**




Double Blade Ultra Hygiene Squeegee  
24": 77149

**Vikan.**




Foam Blade Squeegees  
20": 77539  
24": 77549

**Vikan.**



24" Double Blade Refill Cartridge  
77349

**Vikan.**



Foam Blade Refill  
20": 77739  
24": 77749

**Vikan.**



Ultra Hygiene Handles  
29629: 59"  
29689: 40"

**Vikan.**




59" Aluminum Handle  
29379

**Vikan.**



62" - 113" Telescopic Aluminum Handle  
29759

**Remco**



Value Handles  
24": 6024  
36": 6036  
53": 6053

**Remco**












































Floor and Drain Handles  
24": 6024DRN  
36": 6036DRN  
53": 6053DRN

# High Temperature Cleaning Range

The High Temperature cleaning range allows you to clean hot surfaces and equipment more safely and effectively than ever before. These tools can help clean grills and cook tops, or handle heated food products.



	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Deflection Temp	Weight	Max Temp	Brand	Additional Details
	2900x	Nylon Food Hoe	11.25"	2"	8"	Nylon
		410°F	1.13 lbs.	419°F	Remco	  
	2911x	Nylon Floor Scraper	10.25"	1"	6.9"	Nylon
		410°F	0.65 lbs.	419°F	Remco	  
	30024	Toaster Brushes	15.55"	2.05"	1.85"	Polypropylene/Polyester/SS
	Red	-	0.24 lbs.	356°F	Vikan	  
	4012x	Threaded Nylon Scraper	8.07"	3.94"	1.26"	Polypropylene/Nylon
		-	0.15 lbs.	250°F	Vikan	  
	42885	High-Temp Hand Brush	11.42"	1.18"	2.26"	Polypropylene/Polyester/SS
	White	-	0.11 lbs.	347°F	Vikan	  
	44023	High-Temp Detail Brush	8.07"	0.79"	2.36"	Polypropylene/Polyester/SS
	Blue	-	0.07 lbs.	347°F	Vikan	  
	47535	Threaded High-Temp Brush	5.91"	2.56"	2.17"	Polypropylene/Polyester/SS
	White	-	0.35 lbs.	356°F	Vikan	  
	6963x	Nylon Hand Scraper	0.88"	4.25"	9.38"	Nylon/Glass-Fiber
		424°F	0.25 lbs.	266°F	Remco	  
	7011x	Nylon Threaded Paddle	8.66"	4.53"	1.3"	Nylon
		-	0.31 lbs.	347°F	Vikan	  

New Item!

# Non-Stock and Special Order Items
























In addition to the tools that we already offer, Remco can source select Vikan tools that we do not currently stock.

These tools are not actively distributed in North America, but are available to those who cannot find a suitable alternative in our existing full line.

Special order items are only available in case quantities and are non-returnable. The lead time for delivery is 8 weeks.

Visit [remcoproducts.com](http://remcoproducts.com) for more details.



 <p><b>Now in Stock!</b></p> <p>Wall Bracket 0616</p>	 <p><b>Now in Stock!</b></p> <p>Wall Bracket 0617</p>	 <p>Telescopic Handle 2977Q</p>	 <p>Glazing Brush 41813</p>	 <p>7 Piece Ice Cream Machine Brush Kit 53575</p>
 <p>8 Piece Ice Cream Machine Brush Kit 53584</p>	 <p>Pipe Brush 5380-175-x ③④</p>	 <p>Ergonomic Shovel 56049</p>	 <p>40.5" T-Grip One-Piece Shovel 56317</p>	 <p>Ergonomic Scoop 5671x ②③④⑤⑥</p>
 <p>Hand Shovel 5673x ②③④⑤⑥⑦⑧⑨</p>	 <p>Push Pull Hoe 5900x ②③④⑤⑥</p>	 <p>Short Handle High-Temp Paddle 70075</p>	 <p>Long Handle High-Temp Paddle 70095</p>	 <p>Medium 12" Broom 7068x ②③④⑤⑥⑧</p>
 <p>16" Double Blade UH Squeegee 7712x ②③④⑤⑥</p>	 <p>16" Revolving Neck Squeegee 7722x ②③④⑤⑥</p>	 <p>24" Revolving Neck Squeegee 7724x ②③④⑤⑥</p>	 <p>16" Replacement Squeegee Cartridge (For 7712x and 7722x) 7732x ②③④⑤⑥</p>	 <p>16" Double Blade Swivel Neck Squeegee 7762x ②③④⑤⑥</p>
 <p>24" Revolving Neck Squeegee 77649</p>	 <p>Easy Hi Dust Microfiber Kit 990102</p>	 <p>63"-113" Telescopic QC Waterfed Handle 2973Qx ②③④⑥</p>		



## INDUSTRIAL TOOLS

Whether it's a remote space adjacent to a food production area or an industrial production facility, areas not requiring ultimate hygiene still demand safe and durable tools. Remco offers a variety of tough, non-sparking, and chemically-resistant products that serve as economical facility maintenance and safety solutions.

Some environments necessitate the use of tools that are compatible with sensitive materials or hazardous substances. When metal is not the right option for the job, rugged plastic tools may fit the bill. Lightweight, injection-molded polypropylene tools can be the right choice.

Partner with Remco for a comprehensive solution to maintain the condition and integrity of both hygienic and remote areas. Efficiency and cost control is possible with total facility maintenance, and all of the necessary tools should be integrated in your overall cleaning and sanitation plan.



# Product Selection Guide

Remco offers a range of safety shovels to fit the needs of industrial end-users.

Choose the safety shovel to fit the application:

Collapsible	Regrind	10" Blade	14" Blade
 <p data-bbox="121 1688 391 1808">Safety shovels can easily fit in vehicles, hazmat kits, and small areas for when they're needed.</p>	 <p data-bbox="488 1688 768 1906">An environmentally friendly choice, regrind shovels are strong and durable. The regrind shovel is available with 10" and 14" blade widths and multiple handle lengths.</p>	 <p data-bbox="846 1688 1133 1780">Shovels with this blade are big enough to get small and medium jobs done properly.</p>	 <p data-bbox="1206 1688 1477 1808">Ideal for moving large amounts of materials, 14" blade shovels can make quick work of big jobs.</p>

# Industrial and Safety Shovels























## Dual Thread Adapter

Allows our safety shovels to be used with any Vikan handle.



Injection-molded shovels are ideal for safe material handling in environments that require non-metallic tools. These tools are cost-effective, durable, lightweight, and won't damage equipment like metal tools can.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Deflection Temp	Weight	Max Temp	Brand	Additional Details
	6200	Dual Thread Adapter	5.4"	1.25"	1.25"	Polypropylene
	White	183°F	0.13 lbs.	266°F	<b>Remco</b>	 
	6892SS	Safety Shovel w/ 10" Blade- Standard Handle	39"	10.2"	6.1"	Polypropylene/Steel
	Green and Black	183°F	2.5 lbs.	266°F	<b>Remco</b>	 
	6896SS	Safety Shovel w/ 10" Blade- Extended Handle	43.7"	10.4"	6.3"	Polypropylene/Steel
	Green and Black	183°F	3 lbs.	266°F	<b>Remco</b>	 
	6897SS	Safety Shovel w/ 14" Blade- Short Handle	35.4"	14"	6.7"	Polypropylene
	Green and Black	183°F	3 lbs.	266°F	<b>Remco</b>	 
	6898SS	Safety Shovel w/ 10" Blade- Short Handle	33.1"	10.4"	5.9"	Polypropylene
	Green and Black	183°F	2.5 lbs.	266°F	<b>Remco</b>	 
	6900SS	Safety Shovel w/ 14" Blade- Standard Handle	40.9"	13.8"	7.1"	Polypropylene/Steel
	Green and Black	183°F	3.5 lbs.	266°F	<b>Remco</b>	 
	6985SS	Safety Shovel w/ 14" Blade- Extended Handle	46.1"	13.8"	7.9"	Polypropylene/Steel
	Green and Black	183°F	4 lbs.	266°F	<b>Remco</b>	 



# Industrial and Safety Shovels



6896BKSS



6895SS



6880EBG




6880EBO



6981RG



6982RG

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Deflection Temp	Weight	Max Temp	Brand	Additional Details
	6880EB	Collapsible Emergency Blade Shovel	36.5"	10.1"	1.7"	Polypropylene
		183°F	1.77 lbs.	266°F	<b>Remco</b>	
	6895SS	Pan Safety Shovel w/ 10" Blade- Handle Cap	20.9"	10.2"	4.9"	Polypropylene
	Green and Black	183°F	1.5 lbs.	266°F	<b>Remco</b>	
	6896BKSS	Safety Shovel w/ 10" Blade- Extended Handle	44.1"	10.4"	6.3"	Polypropylene/Steel
	Black	183°F	3 lbs.	266°F	<b>Remco</b>	
	6981RG	One-Piece Re grind Shovel w/ 10" Blade	37.5"	10.2"	5.9"	Polypropylene Re grind Material
	Gray	183°F	2.59 lbs.	266°F	<b>Remco</b>	
	6982RG	One-Piece Re grind Shovel w/ 14" Blade	42.5"	13.75"	6.6"	Polypropylene Re grind Material
	Gray	183°F	3.53 lbs.	266°F	<b>Remco</b>	





## TRANSPORT CLEANING TOOLS

Vikan's line of exterior and interior tools for the transportation industry efficiently and effectively cleans vehicles of all sizes. Thanks to a wide range of purpose-built tools, professionals can clean vehicles with ease. From a deep clean to a quick wash, Vikan has the transportation cleaning solutions you need.

Most of the tools in our range feature innovative rubber edges so you can clean as vigorously as you need to without worrying about scratching paint or molding. With a variety of scrubs, brushes, and squeegees to choose from, every part of a vehicle can be cleaned quickly and completely.

Useful for before, after, or instead of a car or truck wash, Vikan tools are extremely durable and well-suited for cleaning hard-to-reach spaces and caked-on grime. No matter if you are cleaning a tractor-trailer or a sedan, the Vikan Transport Line has solutions that provide fast and effective results.

# Transport Sets



Transport line sets offer solutions for overall washing and detail cleaning, depending on your needs. Ranging from classic hand brushes to detail brushes small enough to clean out the narrowest seams in your truck, we have the transport brush set you need.

	Part Number	Product Name	Length	Width	Height	Materials
	Bristle Type		Weight		Brand	
	521052	3 Brush Set	Varies	Varies	Varies	Polypropylene/ Polyethylene
	Soft-Split, Medium, Soft		Varies			
	549101	Easy Shine Kit	Varies	Varies	Varies	80% Polyester, 20% Polyamide/Aluminum/ Polypropylene
	N/A		Varies			
	556052	Set of 7 Detail Brushes	Varies	Varies	Varies	Polypropylene/ Polyethylene
	Soft		Varies			
	556452	Set of 2 Detail Brushes	Varies	Varies	Varies	Polypropylene/ Polyethylene
	Soft		Varies			



# Transport Brooms and Brushes
















Vikan's line of transport brooms and brushes are designed to tackle everything from sweeping the grounds to removing stuck-on insects and tar to cleaning dirty windows and tires. All our brushes and brooms are made of high-quality materials to increase their durability.

	Part Number	Product Name	Length	Width	Height	Materials
		Bristle Type	Weight		Brand	Additional Details
	311552	Garage Broom	17.32"	3.15"	5.51"	Wood/PVC
		Stiff	1.79 lbs.			
	311752	Garage Broom	26.18"	2.76"	5.71"	Wood/PVC
		Stiff	2.2 lbs.			
	475552	Waterfed Vehicle Brush	10.63"	3.94"	5.12"	Polypropylene/Polyester
		Soft/Split	0.9 lbs.			
	475752	Waterfed Vehicle Brush	14.57"	3.94"	4.72"	Polypropylene/Polyester
		Soft/Split	1.37 lbs.			
	524752	Waterfed Washing Brush	11.02"	5.91"	3.54"	Polypropylene/Polyester
		Soft/Split	1.1 lbs.			
	526852	Waterfed Vehicle Brush	9.84"	5.12"	6.3"	Polypropylene/Polyester
		Soft/Split	0.93 lbs.			
	526952	Waterfed Vehicle Brush	9.06"	3.94"	4.72"	Polypropylene/Polyester
		Soft/Split	0.86 lbs.			


# Transport Handles



Our transport line brooms and brushes attach to any Vikon handles. Whether you need an extension handle for a high-low brush or a short waterfed handle for a vehicle brush, we offer the transport cleaning solutions you need.

	Part Number	Product Name	Length	Width	Height	Materials
			Weight		Brand	Additional Details
	293752	Aluminum Handle	59.25"	1.22"	1.22"	Aluminum/Polypropylene
			1.06 lbs.			
	297152Q	Waterfed Aluminum Telescopic Handle	41.73" - 62.99"	1.26"	1.26"	Aluminum/Polypropylene/ Chrome-Plated Brass
			1.39 lbs.			
	297352	Waterfed Aluminum Telescopic Handle	62.99" - 109.45"	1.22"	1.22"	Aluminum/Polypropylene/ Chrome-Plated Brass
			2.25 lbs.			
	297352Q	Waterfed Aluminum Telescopic Handle w/ Quick Disconnect	62.99" - 109.45"	1.22"	1.22"	Aluminum/Polypropylene/ Chrome-Plated Brass
			2.25 lbs.			
	297552	Aluminum Telescopic Handle	62.01" - 109.45"	1.26"	1.26"	Aluminum/Polypropylene/ Chrome-Plated Brass
			2.34 lbs.			
















 Product is waterfed.

# Transport Brushes



Transport brushes from Vikon are specially designed to clean the dirt and grime that trucks accumulate. Whether you need to clean a fleet of semis or a single ambulance, Vikon brushes are a durable and efficient solution.

	Part Number	Product Name	Length	Width	Height	Materials
		Bristle Type	Weight		Brand	Additional Details
	524652	Hand Brush	12.6"	4.53"	1.22"	Polypropylene/Polyester
		Soft/Split Bristles	0.66 lbs.			
	525252	Multi Brush/Rim Cleaner	11.42"	2.76"	3.94"	Polypropylene/Polyester
		Soft/Split Bristles	0.29 lbs.			
	525452	Waterfed Vehicle Brush	14.17"	2.36"	4.13"	Polypropylene/Polyester
		Soft/Split Bristles	0.57 lbs.			
	525352	Rim Cleaner	13.19"	2.56"	2.56"	Polyester/Polypropylene
		Stiff Bristles	0.2 lbs.			
	545252	Waterfed Rim Cleaner	9.45"	6.3"	4.13"	Polyester/Polypropylene
		Soft/Split Bristles	1.12 lbs.			
	631559	Interior Brush	6.1"	0.87"	0.87"	Polypropylene/Hair
		Medium Bristles	0.07 lbs.			

# Transport Squeegees



Vikan windshield scrapers and Wipe 'N' Shine squeegees are specifically designed to clean everything from large front truck windshields to smaller side windows. The Wipe 'N' Shine squeegees can be used on their own or be attached to handles.

	Part Number	Product Name	Length	Width	Height	Materials
			Weight		Brand	Additional Details
	473852	Replacement Windshield Scraper w/Sponge	7.87"	2.95"	1.85"	Polypropylene/Synthetic Rubber
			0.24 lbs.			
	473952	Windshield Scraper w/ Sponge & Telescopic Handle	27.95" - 49.21"	3.15"	2.56"	Aluminum/Polypropylene/Synthetic Rubber
			0.68 lbs.			
	707752	Small Wipe 'N' Shine	9.84"	8.27"	1.77"	POM/SEBS
			0.42 lbs.			
	707852	Wipe 'N' Shine	13.78"	7.87"	1.85"	POM/SEBS
			0.46 lbs.			
	707952	Large Wipe 'N' Shine	17.72"	7.48"	1.97"	POM/SEBS
			0.53 lbs.			





# Education & Technical Support

Giving you the knowledge and support you need

At Remco, we know that the decision to implement color-coding or to switch to hygienic design isn't made in a single moment, but rather through a series of discussions, trainings, and learned practices. We're here to help every step of the way with detailed white papers written by experts, short and practical blogs, and on-site training and support from our business development managers.

## Blogs and Social Media:

Please visit [remcoproducts.com/blog](https://remcoproducts.com/blog) to view our blog articles. We cover topics like handwashing procedures, color-coding, 5S, FDA rulings, and solving common cleaning challenges. Follow us on social media for up-to-date food safety and hygienic design news. You can find our social media channels by visiting [remcoproducts.com/socialmedia](https://remcoproducts.com/socialmedia).

## Site Visits:

Our business development managers are happy to visit your facility and offer suggestions for implementing color-coding and/or switching to more hygienic products. They can recommend different zoning techniques they believe will work best for you based on Remco and Vikan's years of experience. To schedule a site visit, please contact our customer service at: [cs@remcoproducts.com](mailto:cs@remcoproducts.com).

## Educational and Technical Resources:

Contact our educational and technical resources manager for food safety training information and guidance on best practices. You can also post questions about regulations, certifications, and compliance and be reassured you're getting the best, most up-to-date information possible. Email [edtech@remcoproducts.com](mailto:edtech@remcoproducts.com).

## Documents of Compliance:

Food contact surfaces like cleaning and material handling tools must comply with the FDA's rules about what they can contain and how they must be designed. Documents of compliance show that tools fall within these parameters. Remco is happy to provide these documents for your records or in preparation for an audit at your request. Contact [cs@remcoproducts.com](mailto:cs@remcoproducts.com).

## Available White Papers:

- Minimizing the Risk of SARS-CoV-2 Transmission through Good Cleaning and Disinfection Practices
- The Role of Manual Cleaning in Biofilm Prevention and Removal
- Color-Coding as a Preventive Control
- Implementing 5S in the Food Industry
- HACCP vs. HARPC
- Cleaning Tool Maintenance
- The Hygienic Design of Food Industry Brushware

Please visit [remcoproducts.com/knowledge-center](https://remcoproducts.com/knowledge-center) to view and download any of our white papers.



# Index

Product	Page
0618	24
2945	50, 51
2977	52
5346	40
5350	40
5523	56
5524	56
5525	56
6024	59
6024DRN	59
6036	59
6036DRN	59
6053	59
6053DRN	59
6200	64
6268	53
6268B	53
6268N	53
6269	53
6269B	53
6269N	53
6350	20, 59
6880EB	65
6892SS	64
6895SS	65
6896BKSS	65
6896SS	64
6897SS	64
6898SS	64
6900SS	64
6903	28
6904	28
6906	28
6913	29
6921	29
6922	29
6923	29
6925	29

Product	Page
6981RG	65
6982RG	65
6985SS	64
0615x	24
0703US	55
1011x	12, 24
1012x	13, 24
1013x	13, 24
1014x	13, 24
16200	24
2900x	22, 23, 60
2910x	22, 23
2911x	22, 23, 60
2914x	32
2915x	32
2916x	32
2920x	32
2934x	50, 51
2935x	50, 51
2936x	50, 51
2937x	50, 51
2938x	50, 51
2939x	50, 51
2958x	50, 51
2959x	50, 51
2960x	50, 51
2962x	50, 51
2964x	50, 51
2966x	50, 51
2968x	50, 51
29735	55
2973Q5	55
2975x	52
2983x	52
29915	55
2991Q5	55
30024	60
3088x	39

Product	Page
3103x	11, 32
3104x	32
3105x	11, 32
3166x	32
3171x	33
3173x	33
3174x	33
3178x	32
3179x	33
3194x	33
3199x	33
3587x	36
3885x	36
3890x	36
3892x	36
3951x	10, 36
4010x	22, 23
4011x	22, 23
4012x	22, 23, 60
4051x	22, 23
4179x	38
41845	44
4185x	10, 39
4186x	39
4192x	38
4194x	38
4195x	37
4196x	39
4197x	10, 44
4198x	12, 38
4237x	39
4287x	39
42885	60
4401x	36
44023	60
4581x	37
4582x	37
4585x	37

Product	Page
4587x	37
4589x	37
47535	60
53515	40
53525	40
5354x	40
5356x	40
5360x	40, 41
53619	44
5362x	40, 41
5365x	40, 41
5368x	40, 41
5370x	40, 41
53713	44
5372x	44
53743	44
5375x	40, 41
5376x	40, 41
5378x	40, 41
5379x	40, 41
53815	42, 43
53825	42, 43
53835	42, 43
53865	42, 43
53875	42, 43
53885	42, 43
5391x	40, 41
5500x	56, 57
5510x	56, 57
5601x	18
56045	18
5611x	18
5660x	20
5662x	11, 20
5681x	20
5682x	20
5686x	25
5687x	25

# Index

Product	Page
5688x	25
5689x	25
56905	19
56915	19
5692x	25
5693x	25
6000x	21
6250x	12, 20
6300x	21
6400x	21
6400MDx	26, 27
6440x	36
6500x	21
6500MDx	26, 27
6550x	21
6552x	21
6774x	19
6775x	19
6776x	19
6777x	19
6777MDx	26, 27
6901x	28
6902x	28
6905x	28
6911x	29
6912x	29
6915x	29
6959x	22, 23
6959MDx	26, 27
6960x	22, 23
6960MDx	26, 27
6961x	22, 23
6961MDx	26, 27
6962x	22, 23
6962MDx	26, 27
6963x	22, 23, 60
6971x	22, 23
6972x	22, 23

Product	Page
6981x	18
6981MDx	26, 27
6982x	18
6982MDx	26, 27
7011x	22, 23, 60
7013x	22, 23
7035x	42, 43
7037x	35
7039x	35
7040x	34
7041x	35, 54
7042x	34
7043x	35, 54
7047x	34
7057x	54
7060x	34
7062x	35
7064x	35
7067x	34, 54
7125x	48, 49
7140x	46, 47
7150x	46, 47
7160x	46, 47
7170x	46, 47
7711x	48, 49
7713x	46, 47
7714x	46, 47
7715x	46, 47
7716x	48, 49
7731x	48, 49
7733x	48, 49
7734x	48, 49
7735x	48, 49
7751x	48, 49
7752x	46, 47
7753x	46, 47
7754x	46, 47
7755x	46, 47

Product	Page
7764x	46, 47
77715	49
7772x	49
7773x	49
7774x	49
7775x	49
8001x	15
8002x	15
8101x	15
8102x	15
8401x	15
8402x	15
8603x	15
8604x	15
9324x	54
9801x	52
9802x	52
555130x	45
555230x	45
555250x	45
555270x	45
5380-50-x	42
5380-63-x	42
5380-77-x	42
5380-90-x	42
5380-103-x	42
5381-90-x	42, 43
293752	69
297152Q	69
297352	69
297352Q	69
297552	69
311552	68
311752	68
473852	71
473952	71
475552	68
475752	68

Product	Page
521052	67
524652	70
524752	68
525252	70
525352	70
525452	70
526852	68
526952	68
545252	70
549101	67
556052	67
556452	67
631559	70
707752	71
707852	71
707952	71

# Notes



**Remco**  
a Vikan company

4735 West 106th Street  
Zionsville, Indiana 46077

PHONE: 317.876.9856 | FAX: 800.585.8619

cs@remcoproducts.com | www.remcoproducts.com

**INFINITE SUPPLY AND SERVICES INC**  
519-992-1996  
order@infinitesupplyandservices.com  
Mechanical parts, shipping and packaging  
Office and janitorial supply, safety supply